

L Number	Hits	Search Text	DB	Time stamp
----------	------	-------------	----	------------

-	96	("6697360" "6532217" "6070187" "6115545" "5922049" "6212563" "6212563" "6029196" "6023464" "6061739" "6061739" "5708654" "6463474" "6385653" "5812819" "6289377" "6345294" "5854901" "6496511" "5884024" "6236652" "6560642" "6587468" "6023724" "6393484" "6195706" "6629145" "5724510" "6678732" "5848233" "6687820" "6578074" "6088725" "6427170" "6609154" "6614788" "6012088" "6701329" "5950195" "6028848" "6029203" "6052803" "6094659" "6108330" "6118768" "6466986" "6374295" "6564216" "6654891" "6101499") .pn. ("6424654" "6381650" "5956391" "6073178" "6243749" "6601093" "6651092" "6687245" "6697851" "6684327" "6360276" "6195689" "5963207" "5835727" "6587455" "6223222" "6223222" "6049826" "6601096" "6226272" "6226272" "6377990" "6684243" "6154776" "6091093" "6633761" "....."	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 10:34
---	----	---	---	------------------

-	493	(dynamic adj host adj configuration) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 10:37
-	19	(dynamic adj host adj configuration) and ((unauthorized invalid) with server) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 10:45
-	5	(detect\$3 with ((unauthorized invalid) adj server)) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 10:47
-	49	(detect\$3 with (unauthorized invalid) with server) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 10:59
-	23	(detect\$3 same (unauthorized invalid) same server) and (request) and (client) and (simulat\$3) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 11:03
-	7	(detect\$3 same (unauthorized invalid) with server) and (request) and (client) and (simulat\$3) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 11:00
-	26	(detect\$3 same (unauthorized invalid) same server) and (request) and (simulat\$3) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 11:08
-	11	(detect\$3 same (unauthorized invalid) same server) and (request) and (simulat\$3 with (client request)) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 11:10
-	11	(detect\$3 same (unauthorized invalid) same server) and (simulat\$3 with (client request)) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 11:10
-	54	((unauthorized invalid) adj server) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 11:32
-	112	((untrusted rogue) with server) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 11:37
-	21	((untrusted rogue) adj server) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 11:33
-	304	((detect\$3 identify\$3) same (untrusted rogue invalid unauthorized) same server) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 11:38
-	133	((detect\$3 identify\$3) same (untrusted rogue invalid unauthorized) with server) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 11:38
-	80	((detect\$3 identify\$3) with (untrusted rogue invalid unauthorized) with server) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 13:07
-	3	(IP with renewal with request) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 13:10
-	11	(IP with renewal) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 13:18
-	122	(flood\$3 with request) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 13:16

-	0	((IP address) with renewal) same (MAC) same (client with (IP address)) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 13:19
-	2	((IP address) with renewal) same (MAC) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 13:21
-	6	((IP address) with renewal) and (MAC) and ((client) with (IP address)) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 13:45
-	48	(DHCPREQUEST DHCPDISCOVER) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 13:46
-	7	(DHCPREQUEST DHCPDISCOVER) and (denied denial deny\$3 overload\$3 flood\$3) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 13:54
-	46	(DHCPREQUEST DHCPDISCOVER) same (renewal MAC IP address) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 13:58
-	336	(simulat\$3 with client) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 13:59
-	3	(simulat\$3 with client) and DHCP and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 14:05
-	13	(simulat\$3 with (user client)) and DHCP and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 16:37
-	78	(disable) same (unauthorized rogue) same (client server application) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 16:39
-	0	(disable) same (unauthorized rogue) same (client server application) and dhcp and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 16:38
-	0	(disable) same (unauthorized rogue) same (client server application) and DHCP and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/29 16:39
-	18	(disable) with (unauthorized rogue) with (client server application) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/30 11:19
-	1	(address adj hogging) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/30 10:05
-	58554	(flood\$3 hog\$4) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/30 10:05
-	133	(flood\$3 hog\$4) same (server) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/30 10:05
-	1	(flood\$3 hog\$4) same (server) same (simulat\$3) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/30 10:08
-	37	(flood\$3 hog\$4) same (server) and (simulat\$3) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/30 10:18

-	112	(overload\$3) same (server) and (simulat\$3) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/30 10:18
-	4	(overload\$3) same (server) same (simulat\$3) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/30 10:19
-	407	(overload\$3) same (server) same (connection session user client) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/30 10:19
-	1	(overload\$3) same (server) same (simulat\$3) same (connection session user client) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/30 10:20
-	64	(overload\$3) same (server) and (simulat\$3) same (connection session user client) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/30 10:21
-	1	(overload\$3 flood\$3 hog\$4) same (server) same (simulat\$3) same (connection session user client) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/30 10:21
-	98	(overload\$3 flood\$3 hog\$4) same (simulat\$3) same (connection session user client) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/30 10:22
-	61	(overload\$3 flood\$3 hog\$4) same (simulat\$3) with (connection session user client) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/30 10:22
-	61	(overload\$3 flood\$3 hog\$4) same (simulat\$3) with (connection session user client) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/30 10:22
-	0	(chaddr) same (unknown wrong erroneous) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/30 11:19
-	32	(chaddr) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/30 11:20
-	87	(chaddr MAC) same (DHCP) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/30 11:20
-	20	(chaddr MAC) same (DHCP) same (unknown invalid erroneous wrong) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/30 11:35
-	29	(address) same (DHCP) same (unknown invalid erroneous wrong) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/30 16:09
-	933	(IP) same (releas\$3) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/30 16:09
-	212	(IP with address) same (releas\$3) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/30 16:10
-	88	(IP with address) same (releas\$3) same server and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/30 16:13
-	97	(IP with address) same (releas\$3) same ((unknown invalid existent) server) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/30 16:13

-	1	(IP with address) same (releas\$3) same ((unknown invalid existent) with server) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/30 16:23
-	21	(authorized) same (releas\$3) with (resource) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/30 16:41
-	2852	(releas\$3) with (resource) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/30 16:31
-	441	(table database) same (releas\$3) with (resource) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/30 16:32
-	13	(validated verified) same (releas\$3) with (resource) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/30 16:53
-	23	(authorized authenticated) same (releas\$3) with (resource) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/30 17:04
-	50	(request\$3) same (valid validated authorized authenticated) same (releas\$3) with (resource) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/30 17:15
-	15125	(return\$3) same (valid validated authorized authenticated) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/30 17:16
-	309	((releas\$3 with message) DHCPRELEASE) same (server) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/30 17:19
-	1	((releas\$3 with message) DHCPRELEASE) same (server) same (unknown) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/30 17:20
-	0	((release adj message) DHCPRELEASE) same (server) same (unknown) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/30 17:20
-	84	((release adj message) DHCPRELEASE) same (server) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/30 17:31
-	3	(DHCPRELEASE) same (server) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/30 17:53
-	38	(DHCPREQUEST) same (server) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/30 17:58
-	3	(DHCPREQUEST) same (releas\$3) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/30 18:00
-	0	(DHCPREQUEST) same (unknown) and @ad<19991125	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/30 18:00